STATEMENT OF WORK FOR THE REBUILD OF THE CONTINUOUS WAVE ACQUISITION RADAR (CWAR), AN/MPQ-62

SOW-03-844-2-07336C-1/1

1430-01-184-6768

- 1. This SOW identifies the work effort that shall be performed by the contractor to rebuild the CWAR, NSN 1430-01-184-6768.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

FO/2 LAWRENCE E. HERNDON

Weapons System Manager Radar Systems Section (Code 844-2)

MARCORLOGBASES, Albany, GA

VIRGINIA A WILSON

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORLOGBASES, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORLOGBASES, Albany, GA

		Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents 1	
2.1	Military standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	3
3.1	General Tasks	3
3.2	Detailed Tasks	3
3.3	Configuration Management	6
3.4	Government Furnished Equipment (GFE)/Government Furnished	
	Material (GFM)	6
3.5	Contractor Furnished Material (CFM)	6
3.6	Electrostatic Discharge (ESD) Control Program	7
3.7	Quality Assurance Provisions	7
3.8	Acceptance	7
3.9	Rejection	7
4.0	Reports	7
5.0	Cost and Financial Administration	8
Appendixes		
A	Report DA-2404, Equip Inspection and Maintenance Worksheet	
В	Standard Form 364	

STATEMENT OF WORK FOR THE REBUILD OF THE CONTINUOUS WAVE ACQUISITION RADAR (CWAR), AN/MPQ-62 1430-01-184-6768

- 1.0 <u>Scope</u>: This Statement of Work (SOW) establishes, sets forth tasks and identifies the work effort that shall be performed by the Contractor in the rebuild effort of the AN/MPQ-62, Continuous Wave Acquisition Radar (CWAR). This document contains requirements to restore the AN/MPQ-62 to Condition Code "A". Condition Code "A" is defined as "serviceable/ issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>: Rebuild is defined as "That maintenance technique which is necessary to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>Applicable Documents</u>: The following documents of the issue specified herein form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of defense Index of Specifications and standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referred herein and the contents of the SOW, the content of this SOW shall be the superseding requirement.

2.1 <u>Military Standards</u>

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-130	DoD Standard Practice for Identification Marking of U.S.
	Military Property

2.2 Other Government Documents and Publications: The following Government Documents and Publications form a part of this SOW to the extent specified herein. Unless otherwise specified, the issues are those cited in the SOW. Throughout this SOW, the term Depot Maintenance Work Requirement (DMWR) is used. These documents are Commodity Command Publications that provide specific instructions for the performance of maintenance on the CWAR.

Maintenance Radar Set AN/MPQ-62
Radar Set AN/MPQ-62
Functional Theory AN/MPQ-62
Radar Set AN/MPQ-62
Radar Set AN/MPQ-62
Radar Set AN/MPQ-62

TM 9-1430-2528-34-1	DS/GS Unit Radar Set AN/MPQ-62
DMWR 9-1430-2528-1	Depot maintenance Work Requirement for the
BWW. 1100 2020 1	Continuous Wave Acquisition Radar AN/MPQ-62
LO 9-1430-2528-12	Lubrication Order, AN/MPQ-62
MI-02626C-35/2	Modification of Radar Set AN/MPQ-62
MI-02020C-35/2 MI-07336C-50/1	Modification of Radar Set AN/MPQ-62
MI-07336C-50/1 MI-07336C-50/2	*
	Modification of Radar Set AN/MPQ-62
MI-07336C-50/3	Modification of Radar Set AN/MPQ-62
MI-07336C-50/4	Modification of Radar Set AN/MPQ-62
MI-07336C-50/5	Modification of Radar Set AN/MPQ-62
MI-07336C-50/6	Modification of Radar Set AN/MPQ-62
MI-07336C-35/8	Modification of Radar Set AN/MPQ-62
MI-07336C-50/9	Modification of Radar Set AN/MPQ-62
MI-07336C-50/11	Modification of Radar Set AN/MPQ-62
MI-07336C-50/12	Modification of Radar Set AN/MPQ-62
MI-2330-25/6B	Install of Lubrication Fittings (Brake Lever)
SL-3-07336C	Radar Set AN/MPQ-62
TI-4700-45/6B	Install repair/overhaul data plates
TI-10350-35/1	"M" Series Tactical Vehicle Lubrication
TM 4750-15/1	Painting and Registration Marking for Marine
	Corps Combat and Tactical Equipment
SPI AL11846768	Special Packaging Instructions (SPI)
DOD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Materiel
	From the Federal Supply System
Military Handbooks (For Gui	11 0 0

Configuration Management Guidance MIL-HDBK-61

2.3 **Industry Standards**

JESD 625-A Requirements for Handling Electrostatic – Discharge Sensitive (ESDS) Devices ANSI/ISO/ASQC Quality Systems - Model for Quality Assurance in Q9003-1994 Final Inspection and Test

Industry Standards (for Guidance)

National Consensus Standard for Configuration ANSI/EIA-649 Management

{Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford

Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 851-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.}

3.0 Requirements

- 3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall:
- a. Provide materials, labor, facilities, and services necessary to troubleshoot, test diagnose, engineer, integrate, install, repair, and calibrate as required to restore the CWAR. Upon completion of rebuild, CWAR shall be Condition Code "A".
 - b. Conduct in-process and final testing for witness by the user.

3.2 Detailed Tasks

The following tasks describe the different phases for rebuild of the CWAR.

Phase I Pre-Introduction

Phase II Rebuild

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling Storage and Transportation (PHS&T)

3.2.1 Phase I - Pre-Induction

- a. The Contractor shall perform a pre-induction inspection analysis for each CWAR within five (5) working days of induction into the Contractor's facility. Using the Contractor Facility's diagnosis, inspection and testing techniques to determine the extent of work and parts required. Standard Form 364 (Appendix B), Report DA-2404 (Appendix A) and LTI should be utilized to report all anomalies and shall be provided to the government in accordance with Section 4.0 of this SOW.
- b. The SL-3-07336C identifies components and collateral equipment required to operate the CWAR.
- c. The Contractor shall identify and request disposition instructions from MCLB Albany for all residue Secondary Repairables (SDRs) removed during rebuild. Residue stores account code (SAC) 1 assets/parts will be disposed of in the best interest of the government.

3.2.2 Phase II - Rebuild

Rebuild shall be accomplished by the Contractor in accordance with this SOW and rebuild standard. Deficiencies noted in the pre-inspection shall be repaired or replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair. The turn around time for the rebuild process shall be no longer than 128 working days.

a. <u>Data Plate</u>: Each repaired CWAR shall have a rebuild data plate affixed to the trailer. The data plate shall meet the requirements of MIL-STD-130 and TM 4750-15/1.

b. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items, etc., in accordance with the Statement of Work. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- c. <u>Publications and Documentation</u> The Contractor shall utilize the following technical documentation, i.e., DMWR, TMs, MIs, etc., to restore the CWAR to Condition Code "A."

MI-02626C-35/2 Modification of Radar Set AN/MPQ-62 MI-07336C-50/1 Modification of Radar Set AN/MPQ-62 MI-07336C-50/2 Modification of Radar Set AN/MPQ-62 MI-07336C-50/3 Modification of Radar Set AN/MPQ-62 MI-07336C-50/4 Comp 7 Wiring Changes Radar Set AN/MPQ-62 MI-07336C-50/5 Modification of Radar Set AN/MPQ-62 MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar S	LO 9-1430-2528-12	Lubrication Order, AN/MPQ-62
MI-07336C-50/2 Modification of Radar Set AN/MPQ-62 MI-07336C-50/3 Modification of Radar Set AN/MPQ-62 MI-07336C-50/4 Comp 7 Wiring Changes Radar Set AN/MPQ-62 MI-07336C-50/5 Modification of Radar Set AN/MPQ-62 MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-02626C-35/2	Modification of Radar Set AN/MPQ-62
MI-07336C-50/3 Modification of Radar Set AN/MPQ-62 MI-07336C-50/4 Comp 7 Wiring Changes Radar Set AN/MPQ-62 MI-07336C-50/5 Modification of Radar Set AN/MPQ-62 MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/1	Modification of Radar Set AN/MPQ-62
MI-07336C-50/4 Comp 7 Wiring Changes Radar Set AN/MPQ-62 MI-07336C-50/5 Modification of Radar Set AN/MPQ-62 MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Radar Set AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/2	Modification of Radar Set AN/MPQ-62
MI-07336C-50/5 Modification of Radar Set AN/MPQ-62 MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/3	Modification of Radar Set AN/MPQ-62
MI-07336C-50/6 Modification of Radar Set AN/MPQ-62 MI-07336C-35/8 Modification of Radar Set AN/MPQ-62 MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/4	Comp 7 Wiring Changes Radar Set AN/MPQ-62
MI-07336C-35/8 MI-07336C-50/9 MI-07336C-50/9 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 TM 9-1430-2528-24P Radar Set AN/MPQ-62 TM 9-1430-2528-24P	MI-07336C-50/5	Modification of Radar Set AN/MPQ-62
MI-07336C-50/9 Modification of Radar Set AN/MPQ-62 MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/6	Modification of Radar Set AN/MPQ-62
MI-07336C-50/11 Modification of Radar Set AN/MPQ-62 MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-3 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-35/8	Modification of Radar Set AN/MPQ-62
MI-07336C-50/12 Modification of Radar Set AN/MPQ-62 MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/9	Modification of Radar Set AN/MPQ-62
MI-2330-25/6B Install of Lubrication Fittings (Brake Lever) SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-3 Functional Theory AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62 Radar Set AN/MPQ-62 Radar Set AN/MPQ-62	MI-07336C-50/11	Modification of Radar Set AN/MPQ-62
SL-3-07336C Radar Set AN/MPQ-62 TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-07336C-50/12	Modification of Radar Set AN/MPQ-62
TI-4700-45/6B Install repair/overhaul data plates TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	MI-2330-25/6B	Install of Lubrication Fittings (Brake Lever)
TI-10350-35/1 "M" Series Tactical Vehicle Lubrication TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-3 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	SL-3-07336C	Radar Set AN/MPQ-62
TM 9-1430-2528-12-2-2 Radar Set AN/MPQ-62 TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	TI-4700-45/6B	Install repair/overhaul data plates
TM 9-1430-2528-12-2-1 Functional Theory AN/MPQ-62 TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	TI-10350-35/1	"M" Series Tactical Vehicle Lubrication
TM 9-1430-2528-12-3 Radar Set AN/MPQ-62 TM 9-1430-2528-24P Radar Set AN/MPQ-62	TM 9-1430-2528-12-2-2	Radar Set AN/MPQ-62
TM 9-1430-2528-24P Radar Set AN/MPQ-62	TM 9-1430-2528-12-2-1	Functional Theory AN/MPQ-62
· · · · · · · · · · · · · · · · · · ·	TM 9-1430-2528-12-3	Radar Set AN/MPQ-62
TM 9-1430-2528-34 Radar Set AN/MPO-62	TM 9-1430-2528-24P	Radar Set AN/MPQ-62
	TM 9-1430-2528-34	Radar Set AN/MPQ-62
TM 9-1430-2528-34-1 DS/GS Unit Radar Set AN/MPQ-62	TM 9-1430-2528-34-1	DS/GS Unit Radar Set AN/MPQ-62
DMWR 9-1430-2528-1 Depot maintenance Work Requirement for the	DMWR 9-1430-2528-1	Depot maintenance Work Requirement for the
1		Continuous Acquisition Radar AN/MPQ-62
· · · · · · · · · · · · · · · · · · ·		Continuous Acquisition Radar AN/MPQ-62

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. The Contractor shall conduct inspection, testing, and acceptance of the CWAR in accordance with TM 9-1430-2528-12-1. Records of tests shall be maintained and be available to the Marine Corps representative.
- b. The Contractor shall be responsible for conducting all required tests and shall ensure all necessary personnel are notified prior to completing the final acceptance. Acceptance tests shall be held at the Contractor's facility. MCLB (Code 844-2), Albany, Georgia, representatives shall be given a minimum of two weeks notice prior to commencement of acceptance testing.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. A Marine Corps representative may require the repair facility to repeat tests, or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of Special Packaging Instruction (SPI) AL11846768. The SPI may be obtained from Materiel Management Division, Logistics Support Section (822-1), Suite 20320, 814 Radford Boulevard, Albany, GA 31704-0320, Commercial telephone (229) 639-6786 or DSN 567-6786. Items scheduled for domestic shipment, immediate use, or short-term storage shall be to level "B" requirements.
 - b. Marking. Marking for all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.3 Configuration Management

3.3.1 Configuration Status Accounting (CSA)

a. The Contractor shall record and submit data on retrofit accomplished during Phase II. The following approved Modification Instructions (MIs) shall be applied during Phase II of the rebuild process:

MI-02626C-35/2	Modification of Radar Set AN/MPQ-62
MI-07336C-50/1	Modification of Radar Set AN/MPQ-62
MI-07336C-50/2	Modification of Radar Set AN/MPQ-62
MI-07336C-50/3	Modification of Radar Set AN/MPQ-62
MI-07336C-50/4	Modification of Radar Set AN/MPQ-62
MI-07336C-50/5	Modification of Radar Set AN/MPQ-62
MI-07336C-50/6	Modification of Radar Set AN/MPQ-62
MI-07336C-35/8	Modification of Radar Set AN/MPQ-62
MI-07336C-50/9	Modification of Radar Set AN/MPO-62

MI-07336C-50/11	Modification of Radar Set AN/MPQ-62
MI-07336C-50/12	Modification of Radar Set AN/MPQ-62
MI-2330-25/6B	Install of Lubrication Fittings (Brake Lever)

- 3.3.2 <u>Configuration Control</u>: The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) provide guidance for preparing this configuration control document.
- GFE is government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>: The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.8 <u>Acceptance</u>: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation material written or compiled, shall be subject to in-

process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and the user shall be permitted to observe the work or to conduct inspections at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor's Facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.

- 3.9 <u>Rejection</u>: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the Marine Corps (Code 844-2) representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 4.0 <u>Reports</u>: The Contractor shall provide Monthly Progress Reports (MPR) summarizing the progress and status of the rebuild program. Report shall include name and phone number for the Contractor point of contact. This report shall be submitted no later than the tenth of the following month. The final report will be submitted no later than 15 November.
- a. The reports will be submitted via E-Mail to Weapon System Management (WSM) team at this address: mbmatcom844-2@matcom.usmc.mil.
- b. MPR will reflect, by serial number (S/N), the phase of repair and condition code (CC) of all Marine Corps CWARs held by the Contractor.
 - c. Assets inducted into maintenance, will be identified as CC "M".
 - d. Assets that have completed final inspection will be identified as CC "A".
- e. Assets that have completed final testing but require additional parts or components prior to issue, will be identified as CC "G".
 - f. Assets awaiting induction into maintenance will be identified as CC "F".

5.0 Cost and Financial Administration

- a. Upon completion of negotiations, the agreed upon price will be cost reimbursable. Prior to the beginning of the fiscal year, the price for any work to be performed for the next fiscal year shall be developed by the repairer and submitted to MCLB Albany (Code 844-2) in sufficient time to allow for processing of agreed upon financial documentation.
- b. The financial management representatives of the two activities shall determine the specific procedures that will be used to transfer funds under this SOW. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG 1. ORGANIZATION 2. NOMENCLATURE and MODEL											
1. ORGANIZ	'ATION ATION/SERIA	I/NSN 4a	MILES	4b. HOURS	4c. ROUN		CLATURE and M 4d. HOT	5. DATE		6. TYPE I	NSPECTION
					FIRE	D	STARTS				
7. TM NUMBE	R			APPLICAB A DATE	LE REFERI	ENCES TM NUM	BER			TM DATE	;
			1_22	IDATE					•		
		TM number.			JMN d - Shov Column c.	v corrective action	on for defic	ciency o	r shortcoming		
COLUM	IN b - Entei	applicable condition	on status Symi	bol.		COLI	JMN e - Indiv	idual ascertainin	ıg complet	ed corre	ctive action initial
COLUM	COLUMN c - Enter deficiencies and shortcomings. in this column.										
	STATUS SYMBOLS "X" - Indicates a deficiency in the equipment that places it in an DIAGONAL "(/)" - Indicates a material defect other than a deficiency										
"X" - Ind inoperative		iciency in the equip	ment that pla	ces it in an		DIAGO which complete	must be corre	Indicates a mater ected to increase viceable.	riel delect efficiency	other thi	an a deficiency ake the item
operated ur	nder specifi	icated a deficiency, c limitations as dire il the corrective acti	cted by highe	r authority or a	y be s			AL IN BLACK, ctory condition 6		BLUE IN	IK, OR PENCIL -
component	HORIZONTAL DASH "(-)" - Indicates that a required inspection, component replacement, maintenance operation check, or test flight is out has not been accomplished, or an overdue MWO has not been										
<u>-</u>	ALL	INSPECTIONS AN									ED
S. SICINATI		N ACCORDANCE) performing inspection)	WITH DIAG	NOSTIC PRO 86. TIME			STANDARD uintenance Superv		TIED HEL	KEON.	10. MANHOURS
	OKE (Ferson(s)	perjorming inspection)		BO. THAIL	7a. 31014	ATORE (M	anaenance superv	1307)	70. Tital		REQUIRED
TM ITEM NO.	ITEM STATUS DEFICIENCIES AND SHORTCOMINGS					COR	RECTIVE ACTION			INITIAL WHEN CORRECTED	
а.	b		с.					<u>d.</u>			€.
		-	_								
			_			<u> </u>	· · · · · ·	 			
											
	<u> </u>										
-			<u>. </u>					······			
									••		
			<u></u>								
			_								
								 			
			_								
								,			
					,						

		For use	e of this form, se	e DA PAM 73				ent agency is DC	CSLOG		
I. ORGANIZ				1			CLATURE and M			773 (731 : 15 IOI	PRE-CEPTION I
2. REGISTR.	ATION/SERIA	IL/NSN	4a. MILES	4b. HOURS	4c. ROUN		4d. HOT STARTS	5. DATE	6.	TYPE INSE	PECTION
7.				APPLICAF	BLE REFER						
TM NUMBE	R		T	M DATE		TM NUM	BER		T	M DATE	
COLUMN a - Enter TM number. COLUMN b - Enter applicable condition status Symbol.							JMN d - Shov Column c.	v corrective action	on for defici-	ency or sl	hortcoming
		r deficiencies and	-			COLU in this c		idual ascertainin	ng completed	d correcti	ve action initial
				£77	TATUS S						
"V" Ind	liantan n da	ficiency in the eq	uinmont that al		IMIUSS			Indicates a mater	riel defect o	ther than	a deficiency
inoperative	status.						must be corre	ected to increase viceable.			
		licated a deficien									
		ic limitations as d til the corrective a			as			AL IN BLACK, ctory condition of		JUE INK,	, OR PENCIL -
		SH "(-)" - Indicat			s due		AIRCRAFT - S	Status symbols w	vill be record	ded in red	I.
	been accor	mplished, or an o			s duc						
		INSPECTIONS	AND EQUIPM	ENT CONDIT	IONS RE	CORDE	D ON THIS F	ORM HAVE BE	EEN DETER	RMINED	
		N ACCORDAN									
	URE (Person(s) performing inspectio	и)	8b. TIME	9a. SIGN	ATURE (M.	aintenance Superi	isor)	9b. TIME	10	MANHOURS REQUIRED
TM ITEM NO.	STATUS	DEFI	CIENCIES AND SHO	ORTCOMINGS			COR	RECTIVE ACTION			INITIAL WHEN CORRECTED
<u>a.</u>	b.		c.					d.		-+	e.
	,										-
-											
			-							-+	
							_				
İ											

For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG										
I. ORGANIZ						NOMEN	NCLATURE and	MODEL		
2. REGISTRA	ATION/SERIA	L/NSN	4a. MILES	4b. HOURS	4c. ROUN FIREI		4d. HOT STARTS	5. DATE	6. TY	PE INSPECTION
7.				tAPPLICAP	LE REFERE		1 3144	1	1	
TM NUMBE	R			TM DATE		TM NUM	IBER		TM D	ATF.
COLUM	IN a - Enter	TM number.				ı	JMN d - Sho Column c.	w corrective action	on for deficienc	y or shortcoming
COLUM	IN b - Enter	applicable cond	lition status Syr	mbol.				vidual ascertainin	a completed co	prrective action initial
COLUM	IN c - Enter	deficiencies and	d shortcomings.			in this c		vidual ascertainin	ig completed et	Media o delian mila
	STATUS SYMBOLS									
"X" - Ind	licates a def	iciency in the eq	uipment that pl	laces it in an		DIAG	ONAL "(/)" -	Indicates a mater	riel defect other	r than a deficiency
inoperative	status.							rected to increase	efficiency or to	o make the item
						complete	ely se	rviceable.		
		icated a deficien							n	- DAY OF ENDION
		e limitations as o			as					E INK, OR PENCIL -
prescribed	locally, unt	il the corrective	action can be a	ccomplished.		Indicate	s that a satist	actory condition of	exists.	
HORIZO	NTAL DA	SH "(-)" - Indica	ites that a requir	red inspection.		FOR A	AIRCRAFT -	Status symbols w	vill be recorded	in red.
		nt, maintenance			s due	1				
		nplished, or an o								
accomplish	ned.	-								
								FORM HAVE BE		
0 01011		N ACCORDAN performing inspection		GNOSTIC PRO 8b. TIME			STANDARI faintenance Supe	OS IN THE TM C	TTED HEREO! 9b. TIME	N. 10. MANHOURS
8a. SIGNAT	URE (Personts) регјогтинд инѕресто	on)	SD. TIME	9a. SIGN.	ATUKE (M	антепапсе эчре	rvisor)	90. TIME	REQUIRED
TM ITEM NO.	STATUS	DEFI	CIENCIES AND SE	HORTCOMINGS			cc	PRRECTIVE ACTION		INITIAL WHEN CORRECTED
a	b.		c.					d.		Ľ.
,		· ···								
									·	
				_		ļ				
				_						

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920 9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (ROD)

REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGING		. DATE OF PREPARAT	ION	2. REPORT N	2. REPORT NUMBERI			
3. TO: (Name and Address, Include ZIP Code)		4. FROM: (Name and Address, Include ZIP Code)						
1								
5a. SHIPPERS NAME		5b. NUMBER AND DAT	E OF INVOICE		RTATION DOCU ybill, TCN, etc.)	MENT NUME	BER	
7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc.) 7b. OFFICE AD	MINISTERING CO	ONTRACT			8. REQUISITIONE etc.)	er's number (k	equisition, Pur	chase Request.
9. SHIPMENT, BILLING, AND REC	EIPT DATA			10.	DISCREPA	NCY DATA		11.
NSN/PART NUMBER AND NOMENCLATURE	UNIT OF ISSUE	QUANTIT SHIPPED BILLED		QUAN- TITY	UNIT PRICE	TOTAL COST	CODE	
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)	
12. REMARKS (continue on separate sheet of paper if necessary)			•					
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Darwaged pass shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVER AGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity duplicate shipment PACKING DISCREPANCY	E OF MATERIA ty less than that eccipt of parcel p HNICAL DATA ing Handbooks, use or Mutilated attionary operation tion data missing muty data missing	Applicable to Grant Aid and FMS shipments) 1AL at on receipt document at requested (Other than unit of issue pack) at requested (Other than unit of issue pack) at requested (Other than unit of issue pack) at post shipments 1A - Disposition instructions requested (Reply on reverse) 1B - Material being retained (See Remarks) 1C - Supporting supply documentations requested 1D - Material still required, expedite shiptoent (Not applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days (Reply on reverse) (Nat applicable to FMS) 1F - Replacement shipment requested (Not applicable to FMS) 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only 1Z - Other action requested (See remarks)					sted t (Not t supplier's trary or oplicable to	
P1 - Improper preservation	ceptable substitu							
P2 - Improper packing P3 - Improper Marking P4 - Improper unitization	OTHER DIS Z1 - See R	CREPANCIES Remarks						
13. FUNDING AND ACCOUNTING DATA								
14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PRE	PARING OFFICIA		14b. SIGNATURE	<u> </u>				
144. THE ON TRIVIED NAME, ITTEL, AND THOSE WORLDER OF THE	ARING OTTICIA	115	1	•				
15. DISTRIBUTION ADDRESSEES FOR COPIES								
1	,	(Barrier P.				PT 4 NIS 4 D	D FORM 364 (Day 1 90 (E)
364-103 7540-00-159-4442		(Previous editio	n is obsolete)				D FORM 364 (cribed by GSA	

Appendix (B)

STANDARD FORM 364 (Rev. 2-80) (BC Prescribed by GSA FPMR 101.20

16. FROM:			17. DISTRIBUTION ADDRESSEES FOR DIS	TRIBUTION
18. TO:			this docum	dow envelope to mail nent. Insert Name and including ZIP Code,
1			starting or the left dot. NOT exte Address mus spac	ne typing space below Each address line mu end beyond right dot. st not exceed four sing te typing lines.
19.			DISCREPANCY ON FACE OF THIS	FORM:
a. MATERIAL IIAS WILL BEEN BE SHIPPED	DOCUMENT NUMBER		NO RECORD OF SHIPMENT. RE	SUBMIT REPORT
AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A	CREDIT	• DEBIT	d. INVOICE/BILL e. ATTACHED	PROOF OF DELIVERY
f. AN ADJUSTMENT IN BILLING FOR TO THE INDICATED REGULATION	HIS REPORTED DISCREE	PANCY WILL NOT BE PROXI	ESSED FOR THE FOLLOWING REASON WHI	CH IS CITED IN
(1) REASON FOR NOT PROCESSI	ing		(2) PRESCRIBIN	NG REGULATION
(a) DISCREPANCY WAS NOT REPORTED		AMES ALLOWED AND/OR	(a) CHAPTER 5 OF THE GSA HAN DISCREPANCIES OR DEFICIENCIE DOD SHIPMENTS, MATERIALS, OF (FPMR 101.26.8)	S IN GSA OR
(b) DOLLAR VALUE DOES NOT MEET TH OR AGREEMENT INDICATED IN 191(ED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD- MILITARY STANDARD BILLING SYS (MILBILLS) AND/OR DD 1513, U.S. DI ACCEPTANCE, AS APPLICABLE	STEM
20.	THE FOLL	OWING DISPOSITION IS TO	BE MADE OF THE REFERENCED MATERIA	
a PROCESS FOR DISPOSAL IN ACCORE SERVICE/AGENCY DIRECTIVES	ANCE WITH	b. REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING	
c. RETAIN MATERIAL AT NO CHARGE		d. MATERIAL WILL B	BE PICKED UP IN:	DAYS
e. SHIP MATERIAL Specify location)				
(1) GBL APPROPRIATION CHA				
(2) CHARGES COLLECT - VIA:	FREIGHT	EXPRESS	PARCEL POST	(\$
(3) PARCEL POST LABEL ATTA	ACHED	(4) FREIGHT PREP	PAID	
f. OTHER (Specify)		_		
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.		22 REPLACEMENT WILL BE MADE ON	ITH SATISFACTORY MATERIAL N/OR BEFORE:	DATE
23. REMARKS (Continue on separate sheet of pap	er if necessary),			
		,		
24a. TYPED OR PRINTED NAME AND PHONE PREPARING OFFICIAL	NUMBER OF	24b. SIGNATURE		24c. DATE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden astimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington 422202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Gontractifp R No. listed in Block E.

tractiff it too. IID and it grown a								1			
A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:						×					
					RACTUR						
		3, SUBTITLE						17, PRI			
						Į					
· _ ·		_		Configuration Management							
			5. REQUIRING OFFI		V /051	`		18, EST TOT			
					4 (631)	-		H			
			14. DIS	TRIBUTION							
11. AS OF DATE	13. DATE OF SUBSEQ		a. ADDRESSEE					¦			
	SUBMISSION			a. ADUNESSEE		Reg	Repro				
			MCLBA (8	351-2)	0	1	0	į			
authorized and shall	be submitted in .do	c or .pdf									
					<u> </u>	<u> </u>	\sqcup				
submitted for all propertion	oposed changes wh	ich	 		ļ	 	\vdash				
						ļ · - · · · · · · · · · · · · · · · ·	 	i			
asposition determined	a within 30 calenda	i days upon				<u> </u>					
					 						
iatcom.usmc.mil	mg addiess.						† †				
								1			
pproved for public re	elease, distribution	is unlimited.									
								i			
							ļ				
					<u> </u>	ļ		:			
						-		:			
								i			
						L					
						L					
						ļ					
						ł					
					<u> </u>		 	i			
								1			
					T	l					
						l					
					.		 	1			
					L	ļ					
					_	ļ					
							\vdash	;			
			· · · ·		l	-					
			15 TOTAL -		Λ	1					
			IS. INTAL		J. DATI	<u></u>		1			
√/ " H. DATi	E I. APPRO	IVED BY									
) / H. DAT	E I. APPRO	IVED BY	1		J. DATI	1	_ , [1			
H. DAT	29/01 ====	VED BY	/ /		3.021	2	2/				
- (- Ei: 3	Engineering Change To FREQUENCY ASREQ 11. AS OF DATE authorized and shall e submitted for all prine of a configuration disposition determined a e-mail to the follownatcom. usmc. mil	Engineering Change Proposal Sow 3.3.2 10. FREQUENCY SOW 3.3.2 11. AS OF DATE 12. DATE OF FIRST SI SUBMISSION authorized and shall be submitted in .do e submitted for all proposed changes when of a configuration item. disposition determined within 30 calendary a e-mail to the following address: natcom.usmc.mil	E. CONTRACT/PR NO. E. CONTRACT/PR NO. F. CONTRACT F. CONTRACT Solution Solution F. CONTRACT F. CONTRACT Solution Solu	E. CONTRACT/PR NO. E. CONTRACT/PR NO. F. CONTRACTOR F. CONTRACTOR F. CONTRACTOR S. SUBTITLE Configuration for all proposed changes which an eof a configuration fiem. Configuration address: a e-mail to the following address: a contract reference SOW 3.3.2 See Blk 16 11. AS OF DATE SOW 3.3.2 ASREQ See Blk 16 13. DATE DF SUBSEQUENT SUBMISSION ACLBA (8) MCLBA (Engineering Change Proposal C SOW 3.3.2 10. PREQUENCY ASREQ 12. Date OF PRIEST SUBMISSION ASREQ 11. AS OF DATE 12. Date of PRIEST SUBMISSION SUBMISSION ASREQ 12. Date of PRIEST SUBMISSION ASREQ 13. Date of PRIEST SUBMISSION ASRED 14. DISTRIBUTION ASRED 15. Date of PRIEST SUBMISSION ASRED 16. ADDRESSEE MCLB/ authorized and shall be submitted in .doc or .pdf es submitted for all proposed changes which me of a configuration item. disposition determined within 30 calendar days upon a e-mail to the following address: natcom.usmc.mil approved for public release, distribution is unlimited.	Engineering Change Proposal Configuration Manageme C SOW 3.3.2 10, FREQUENCY 12, DATE of FIRST SUBMISSION SAREQ See Bilk 16 11, AS OF DATE 12, DATE of SUBMISSION Submissio	SCONTRACTIPE NO. F. CONTRACTOR	TOP			

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services. Directorate for Information Operations and Reports (0/10.10188), 1215-Jafferson Bavis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the ContractifPR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY:							1
]			1DP TM OTHER						}		
D. SYSTEM/ITEM CWAR, AN/PMPQ-62 E. CONTRACT				10.	F. CONTRA	ACTOR			,		:
1. DATA ITEM NO.											17. PRICE GROU
A002		Request For			Conf		.				
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE DI-CMAN-80640C		ONTRACT REFERENCE	ENCE SOW 3.3.2		8. REQUIRING DEFICE MCLBA (851)					18. ESTIMATED Total Pric	
7. DD 250 REQ 9. DIST STATEMENT		10. FREQUENCY		12. DATE OF FIRST SUBMISSION		14.	DISTRIBUTION			<u> </u>	
LT 8. APP CODE	- WEGGINES	ASR		See Blk 1	6		- ADDDESSEE	ļ	b. COPIES Final		
A	Α		SUBMISSION			a. ADDRESSEE		Draft Reg Repro			
18. REMARKS Blk 4 - Contra- format.	ctor format is auth	orized and s	hall be subn	nitted in .doc or	.pdf	MCL	BA (851-2)	0	1	_ 0	
	RFDs shall be su g meterial which d	bmitted to ol oes not meet	btain authori the prescrib	ization to deliver bed configuration	1						
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming meterial which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.								<u> </u>			. i
RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil											
Distribution St	atement A: Appre	oved for pub	lic release,	distribution is un	limited.						i
									<u>_</u>		į
							· · ·				
											:
											:
						\					
									•		
								<u> </u>			
							. — - — — — —	_			
G. PREPARED BY	2/1	/ H	1. DATÉ	I. APPROVED B	γ	15. TOTAL		J. DAT	1 E	0	İ
Janes	C Clav.	5	109/01		S <u> </u>		1_	91	1 '~1	0/	
OD FORM 1423-	1, AUG 96 (EG)	/	PŘE	VIOUS EDITION MAY BE	USED. "	ν	Designed	Page using Perform	of n Pro, WHS/0	Pages DIOR, Aug 96	